



# Leaf Quilt Assembly

Skill level – Advanced



Cheryl A. Adam

<b>Project Number:</b>	CS0162J
<b>Technique:</b>	Machine Quilting, Piecing, Binding
<b>Size:</b>	44 ½ W x 46 ½ L
<b>End Use:</b>	Wall Hanging
<b>Brand:</b>	Coats®, Rowan, FreeSpirit

*With all nine leaf blocks completed, you are ready to assemble the Leaf Quilt.*

### Required products: Coats Cotton Machine Quilting Thread

#### Materials

- 1 ¼ yd - Solid blue fabric Rowan Kaffe Fassett and Shot Cotton SC45 True Cobalt  
Cut into: 8 - 2 ½" x WOF quilt  
Cut these into: 3 - 2 ½" x 8 ½" , 2 - 2 ½" x 16 ½" ,  
2 - 2 ½" x 22 ½" , 3 - 2 ½" x 34 ½" , 2 - 2 ½" x 36 ½" ,  
2 - 1" x 6 ½" , 5- desired width by WOF for binding
- 5/8 yd - Stripe fabric Rowan Kaffe Fassett Woven Strips WNNARROW REDXX  
Cut into: Qty 5- 4 ½" x WOF
- 3 yds - Backing Fabric True Colors by Joel Dewberry, Wood Grain PWTC008.VOILE, Violet  
Cut into: Qty 2- 1 ½ yd pieces
- 50" x 52" Batting
- Thread Coats Machine quilting  
Colors 8919, 4470, 3660, 7450, and 810

#### Notes

All seams are ¼" WOF= width of fabric.

#### Additional Requirements

- Sewing Machine

[makeitcoats.com](http://makeitcoats.com)



## Instructions

1. Use the quilt photo for block placement and the diagram on page 2 and 3 to assemble the quilt center. Press each seam as you assemble.
2. From two of the 4 ½" x WOF strips, cut 38 ½" pieces. Sew to the sides of the quilt center. Press.
3. Sew the remaining 4 ½" strips together to make one long strip. Cut into two pieces 44 ½" long. Sew to the top and bottom of the quilt. Press.
4. Layer the backing, batting, and quilt top. Quilt by hand or machine, using the quilt photo as a guide or as desired.
5. Sew the binding strips together to form one long strip. Fold the binding in half, lengthwise, with wrong sides together and press. Sew the raw edges of the binding to the edges of the right side of the quilt. Turn the folded edge of the binding to the back side of the quilt and stitch in place by hand, mitering the corners.





